

# LEARN MORE ABOUT + OUR PRODUCTS



[www.peli.com](http://www.peli.com)



AVAILABLE IN 18 LANGUAGES!

[www.pelicatalogue.com](http://www.pelicatalogue.com)



[www.peli.com/webinars](http://www.peli.com/webinars)



**CLEANROOM MANAGEMENT INTERNATIONAL**  
*We care for your compliance*

#### CMI BELGIUM

Avenue de Ramelot 3  
B - 1480 Saintes (Sint Renelde)  
Tel : +32 (0)2 531 11 21  
info@cmitest.com

#### CMI THE NETHERLANDS

Luchthavenweg 81  
NL - 5657 EA Eindhoven  
Tel : +31 (0)402 88 87 57  
info@cmitest.com

#### CMI FRANCE

Ecoparc d'Affaires  
F- 41210 Neung-sur-Beuvron  
Tel : +33 (0)2 54 95 70 95  
info@cmitest.com

Agence Rhône Alpes :  
F- 26160 La Bégude-de-Mazenc  
Tel : +33 (0)4 75 54 57 26



[www.cmitest.com](http://www.cmitest.com)

#### INJECTION MOULDED CASES - PELI LIMITED LIFETIME\* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime\* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see [www.peli.com/warranty](http://www.peli.com/warranty)

\* Lifetime Guarantee not applicable where prohibited by law.

Follow us on:



©2017 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit [www.peli.com](http://www.peli.com) and [www.pelicatalogue.com](http://www.pelicatalogue.com). Part No. 0030-000-101E MAY 18

Peli conquers space! Check out the video of this stellar journey:



WATERTIGHT  
PROTECTOR™ CASES

CATALOGUE

MAY 2018



SINCE 1976



LIFETIME GUARANTEE\*

# TABLE + OF CONTENTS

FEATURES	3
PROTECTION SOLUTIONS	4-5
<b>PELI CASES</b>	
Memory Card & Micro Cases	6-7
Small Cases	8
Laptop & Tablet Cases	9-11
Medium Cases	12-13
Large Cases	14-17
Long Cases	18-19
Cases Specifications	20-23
Case Accessories	22-23



## FEATURES

### + STRONGER BY DESIGN

The Peli Protector Case™ uses an open cell core and solid wall construction, which is actually stronger and lighter than a solid core wall. Travel light with heavy protection. And you know it's a Peli™ Case by the distinctive dual band top surface. Stainless steel pins are used for hinges and handles. The Double-Throw latches are smarter and easier to open: it's the classic 'C' clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.



### + TESTED

The Peli™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.



### + EASY RIDING

Stainless steel ball bearing wheels (on selected cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel resists heat. Result: less wear and tear on the polyurethane tire.



- ① NYLON HUB
- ② STAINLESS STEEL BALL BEARING WHEELS
- ③ POLYURETHANE TIRE

### + REINFORCED PADLOCK PROTECTORS

Stainless steel reinforced padlock protectors provide added strength and extra security against cutting and theft.



### + WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.



### + EXTRA PROTECTION

Peli's Pick N Pluck™ foam lets you customise the interior according to your gear. An easy, do-it-yourself system: layers of foam are pre-scored in tiny cubes. Simply measure your equipment over the grid and pluck away.



### + COOL UNDER PRESSURE

The Automatic Pressure Equalisation Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open.



PELI FEATURES



# PELI™ CASE PROTECTION SOLUTIONS

Peli™ Cases are available empty or with any of the following protection solutions.

## + PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick N Pluck™ Foam: 1700, 1720, 1750



## + TREKPAK™ DIVIDERS\*

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins.

\* Trekpak™ is available for the following models: 1510, 1550, 1560, 1600, 1610, 1650



## + CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



## + PANEL FRAMES

Many Peli™ cases can be adapted for use with electronic interface panels by using a Panel Frame. Pre-drilled holes and stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.

The following cases are adaptable for use with panel frames: 1120, 1150, 1200, 1300, 1400, 1430, 1450, 1470, 1490, 1500, 1520, 1550 (search for the icon )



- O-ring
- Panel Frame
- Attachment Hardware

CASE CONTENTS NOT INCLUDED

## + LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



LID ORGANISER OPTIONS				
CASE	MESH	COMPUTER	PHOTO	EMS
1430			1439 Photo <sup>A</sup>	
1440	1449 Mesh <sup>A</sup>			
1490		1498 Computer <sup>B</sup>		
1495		1495 Computer <sup>B</sup>		
1500	1509 Mesh		1508 Photo	1505 EMS <sup>B</sup>
1510	1519 Mesh <sup>A</sup>			
1520	1509 Mesh		1508 Photo <sup>B</sup>	
1550				1555 EMS <sup>B</sup>
1560	1569 Mesh			
1600	1609 Mesh <sup>B</sup>			1605 EMS <sup>A</sup>
1610	1609 Mesh <sup>B</sup>			
1620	1609 Mesh <sup>B</sup>			
1630	1639 Mesh <sup>A</sup>			
1640	0379 Mesh <sup>A</sup>			
1650	1659 Mesh <sup>A</sup>			
1660	1669 Mesh <sup>A</sup>			
1690	1699 Mesh <sup>A</sup>			
0340	0349 Mesh <sup>A</sup>			
0350	0359 Mesh <sup>A</sup>			
0370	0379 Mesh <sup>A</sup>			

A= With mounting screws B= With mounting Velcro®

## + ELECTRONIC INSTALLATIONS

Peli™ Case allows customisation for electronics. The copolymer material can be machined, drilled and sanded smooth. This makes the Peli™ Case suitable for use with bulkhead connectors.



CASE CONTENTS NOT INCLUDED

## + PADDED DIVIDERS

An alternative to Peli™ foam is our optional Padded Divider Sets. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.



PADDED DIVIDER OPTIONS			
CASE	LAYERS	CASE WITH DIVIDERS (CAT. NO.)	DIVIDER SET ONLY (CAT. NO.)
1450	1	1454	1455
1500	1	1504	1505
1510	1	1514	1515
1520	1	1524	1525
1550	1	1554	1555
1560	1	1564	1565
1600	1	1604	1605
1610	1	1614	1615
1620	2	1624	1625
1630	2	1634	1635
1640	2	1644	1645
1650	1	1654	1655
1660	2	1664	1665
1690	2	1694	1695
0340	2	0344	0345
0350	2	0354	0355
0370	2	0374	0375

## + WE CUSTOMISE YOUR LOGO

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



# MEMORY CARD & MICRO CASES

From small sensitive components to smartphones, protect your gear from the elements in a Memory Card Case or Micro Case from Peli™.



- + Water resistant seal
- + Lightweight insert liner absorbs shock and protects memory cards
- + Made of tough Polycarbonate resin



PELI VALISEE POUR COURTE MICRO/MICRO MICRO CASES

PELI MEMORY CARD AND MICRO CASES

## 0915 CASE

**INTERNAL DIMS:**  
12.2 x 5.7 x 1.4 cm  
(4.79" x 2.25" x 0.55")

**EXTERNAL DIMS:**  
14.1 x 8.3 x 2.2 cm  
(5.55" x 3.27" x 0.85")

**LID/BOTTOM DEPTH:**  
N/A

**WEIGHT:**  
0.1 kg (.22 lbs.) WITH LINER



## 0945 CASE

**INTERNAL DIMS:**  
12.2 x 5.7 x 1.4 cm  
(4.79" x 2.25" x 0.55")

**EXTERNAL DIMS:**  
14.1 x 8.3 x 2.2 cm  
(5.55" x 3.27" x 0.85")

**LID/BOTTOM DEPTH:**  
N/A

**WEIGHT:**  
0.1 kg (.21 lbs.) WITH LINER



## 0955 CASE

**INTERNAL DIMS:**  
12.2 x 5.7 x 1.4 cm  
(4.79" x 2.25" x 0.55")

**EXTERNAL DIMS:**  
14.1 x 8.3 x 2.2 cm  
(5.55" x 3.27" x 0.85")

**LID/BOTTOM DEPTH:**  
N/A

**WEIGHT:**  
0.1 kg (0.22 lbs.)



## 1010 MICRO CASE

**INTERNAL DIMS:**  
11.1 x 7.3 x 4.3 cm  
(4.37" x 2.87" x 1.68")

**EXTERNAL DIMS:**  
14.9 x 10.3 x 5.4 cm  
(5.88" x 4.06" x 2.12")

**LID/BOTTOM DEPTH:**  
1.8 cm / 2.4 cm  
(0.69" / 0.94")

**WEIGHT:**  
0.19 kg (0.41 lbs.) WITH FOAM  
0.18 kg (0.4 lbs.) NO FOAM



## 1015 MICRO CASE

**INTERNAL DIMS:**  
13.1 x 6.7 x 3.5 cm  
(5.14" x 2.64" x 1.37")

**EXTERNAL DIMS:**  
17 x 9.9 x 4.7 cm  
(6.68" x 3.88" x 1.86")

**LID/BOTTOM DEPTH:**  
1.1 cm / 2.4 cm  
(0.43" / 0.94")

**WEIGHT:**  
0.21 kg (0.46 lbs.)



## i1015 MICRO CASE

**INTERNAL DIMS:**  
13.1 x 6.7 x 3.5 cm  
(5.14" x 2.64" x 1.37")

**EXTERNAL DIMS:**  
17 x 9.9 x 4.7 cm  
(6.68" x 3.88" x 1.86")

**LID/BOTTOM DEPTH:**  
1.1 cm / 2.4 cm  
(0.43" / 0.94")

**WEIGHT:**  
0.22 kg (0.49 lbs.)



External headphone jack lets you listen to your player while case is closed.

## 1020 MICRO CASE

**INTERNAL DIMS:**  
13.5 x 9 x 4.3 cm  
(5.31" x 3.56" x 1.68")

**EXTERNAL DIMS:**  
17.3 x 12.1 x 5.4 cm  
(6.82" x 4.75" x 2.12")

**LID/BOTTOM DEPTH:**  
1.8 cm / 2.4 cm (0.69" / 0.94")

**WEIGHT:**  
0.25 kg (0.56 lbs.) WITH FOAM  
0.25 kg (0.55 lbs.) NO FOAM



## 1030 MICRO CASE

**INTERNAL DIMS:**  
16.2 x 6.7 x 5.2 cm  
(6.37" x 2.62" x 2.06")

**EXTERNAL DIMS:**  
19 x 9.8 x 6.2 cm  
(7.50" x 3.87" x 2.43")

**LID/BOTTOM DEPTH:**  
1.8 cm / 3.2 cm  
(0.69" / 1.25")

**WEIGHT:**  
0.28 kg (0.61 lbs.) WITH FOAM  
0.27 kg (0.6 lbs.) NO FOAM



## 1040 MICRO CASE

**INTERNAL DIMS:**  
16.5 x 9.8 x 4.4 cm  
(6.50" x 3.87" x 1.75")

**EXTERNAL DIMS:**  
19 x 12.8 x 5.4 cm  
(7.50" x 5.06" x 2.12")

**LID/BOTTOM DEPTH:**  
1.8 cm / 2.4 cm  
(0.69" / 0.94")

**WEIGHT:**  
0.32 kg (0.71 lbs.) WITH FOAM  
0.32 kg (0.7 lbs.) NO FOAM



## 1050 MICRO CASE

**INTERNAL DIMS:**  
16 x 9.3 x 7 cm  
(6.31" x 3.68" x 2.75")

**EXTERNAL DIMS:**  
19.1 x 12.9 x 7.9 cm  
7.50" x 5.06" x 3.12"

**LID/BOTTOM DEPTH:**  
1.8 cm / 4.9 cm  
(0.69" / 1.94")

**WEIGHT:**  
0.38 kg (0.83 lbs.) WITH FOAM  
0.37 kg (0.81 lbs.) NO FOAM



## 1060 MICRO CASE

**INTERNAL DIMS:**  
21 x 10.8 x 5.7 cm  
8.25" x 4.25" x 2.25"

**EXTERNAL DIMS:**  
23.8 x 14.1 x 6.7 cm  
(9.37" x 5.56" x 2.62")

**LID/BOTTOM DEPTH:**  
1.8 cm / 3.7 cm  
(0.69" / 1.44")

**WEIGHT:**  
0.47 kg (1.03 lbs.) WITH FOAM  
0.45 kg (1 lbs.) NO FOAM



# SMALL CASES

Lightweight, but extremely strong; compact, yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, hand held GPS systems, and DSLR cameras. All small cases are available empty or with pre-scored Pick N Pluck™ foam.



# LAPTOP & TABLET CASES

The Peli line of tablet and laptop cases feature revolutionary design, construction and durability. Peli HardBack™ cases are available in many sizes and insert options. Moulded plush shock absorbing liner protects from impact and won't scratch your device— superior protection for your office on the go!



## 1120 CASE

**INTERNAL DIMS:**  
18.5 x 12.1 x 8.5 cm  
(7.29" x 4.78" x 3.33")

**EXTERNAL DIMS:**  
21.4 x 17.2 x 9.8 cm  
(8.41" x 6.76" x 3.87")

**LID/BOTTOM DEPTH:**  
1.3 cm / 6.5 cm (0.50" / 2.56")

**WEIGHT:**  
0.65 kg (1.43 lbs.) WITH FOAM  
0.61 kg (1.34 lbs.) NO FOAM



## 1150 CASE

**INTERNAL DIMS:**  
21.1 x 14.7 x 9.5 cm  
(8.29" x 5.79" x 3.75")

**EXTERNAL DIMS:**  
24 x 19.8 x 10.9 cm  
(9.44" x 7.80" x 4.29")

**LID/BOTTOM DEPTH:**  
1.9 cm / 7.3 cm (0.75" / 2.87")

**WEIGHT:**  
0.79 kg (1.75 lbs.) WITH FOAM  
0.73 kg (1.61 lbs.) NO FOAM



## 1170 CASE

**INTERNAL DIMS:**  
26.8 x 15.3 x 8 cm  
(10.54" x 6.04" x 3.16")

**EXTERNAL DIMS:**  
29.6 x 21.2 x 9.6 cm  
(11.64" x 8.34" x 3.78")

**LID/BOTTOM DEPTH:**  
2.7 cm / 5.3 cm  
(1.08" / 2.08")

**WEIGHT:**  
0.95 kg (2.10 lbs.) WITH FOAM  
0.89 kg (1.96 lbs.) NO FOAM



## 1200 CASE

**INTERNAL DIMS:**  
23.5 x 18.1 x 10.5 cm  
(9.25" x 7.12" x 4.12")

**EXTERNAL DIMS:**  
27 x 24.6 x 12.4 cm  
(10.62" x 9.68" x 4.87")

**LID/BOTTOM DEPTH:**  
3 cm / 7.4 cm (1.18" / 2.93")

**WEIGHT:**  
1.3 kg (2.87 lbs.) WITH FOAM  
1.2 kg (2.65 lbs.) NO FOAM



## 1300 CASE

**INTERNAL DIMS:**  
23.3 x 17.8 x 15.5 cm  
(9.17" x 7.00" x 6.12")

**EXTERNAL DIMS:**  
27 x 24.6 x 17.4 cm  
(10.62" x 9.68" x 6.87")

**LID/BOTTOM DEPTH:**  
3 cm / 12.5 cm (1.18" / 4.93")

**WEIGHT:**  
1.6 kg (3.53 lbs.) WITH FOAM  
1.4 kg (3.09 lbs.) NO FOAM



## 1400 CASE

**INTERNAL DIMS:**  
30.1 x 22.8 x 13.1 cm  
(11.87" x 8.97" x 5.15")

**EXTERNAL DIMS:**  
34.7 x 29.5 x 14.6 cm  
(13.68" x 11.61" x 5.75")

**LID/BOTTOM DEPTH:**  
3 cm / 10.2 cm (1.18" / 4.00")

**WEIGHT:**  
2 kg (4.41 lbs.) WITH FOAM  
1.8 kg (3.97 lbs.) NO FOAM



## 1055CC HARDBACK™ CASE

**INTERNAL DIMS:**  
21.7 x 14 x 2.2 cm  
(8.55" x 5.52" x 0.85")

**EXTERNAL DIMS:**  
23.9 x 17.8 x 3.1 cm  
(9.42" x 7.02" x 1.24")

**LID/BOTTOM DEPTH:**  
1.1 cm (0.43")

**WEIGHT:**  
0.4 kg (0.82 lbs) WITH FOAM



## 1065CC HARDBACK™ CASE

**INTERNAL DIMS:**  
25.3 x 19.7 x 2.1 cm  
(9.96" x 7.76" x 0.81")

**EXTERNAL DIMS:**  
27.6 x 23.6 x 3.1 cm  
(10.86" x 9.28" x 1.24")

**LID/BOTTOM DEPTH:**  
1 cm (0.41")

**WEIGHT:**  
0.6 kg (1.25 lbs) WITH FOAM



## i1065 HARDBACK™ CASE

**INTERNAL DIMS:**  
25.3 x 19.7 x 2.1 cm  
(9.96" x 7.76" x 0.81")

**EXTERNAL DIMS:**  
27.6 x 23.6 x 3.1 cm  
(10.86" x 9.28" x 1.24")

**LID/BOTTOM DEPTH:**  
1 cm (0.41")

**WEIGHT:**  
0.7 kg (1.51 lbs) WITH FOAM



## 1070CC HARDBACK™ CASE

**INTERNAL DIMS:**  
32.5 x 22.7 x 1.8 cm  
(12.80" x 8.95" x 0.72")

**EXTERNAL DIMS:**  
38.8 x 30.4 x 4.1 cm  
(15.29" x 11.96" x 1.6")

**LID/BOTTOM DEPTH:**  
0.9 cm (0.36")

**WEIGHT:**  
1.3 kg (2.80 lbs) WITH FOAM  
1.1 kg (2.32 lbs) NO FOAM



## 1075 HARDBACK™ CASE

**INTERNAL DIMS:**  
28.2 x 20.1 x 4.1 cm  
(11.11" x 7.92" x 1.63")

**EXTERNAL DIMS:**  
31.4 x 24.8 x 5.4 cm  
(12.38" x 9.75" x 2.13")

**LID/BOTTOM DEPTH:**  
2.1 cm (0.81")

**WEIGHT:**  
0.7 kg (1.54 lbs) WITH FOAM  
0.6 kg (1.41 lbs) NO FOAM



## 1075CC HARDBACK™ CASE

**INTERNAL DIMS:**  
28.2 x 20.1 x 4.1 cm  
(11.11" x 7.92" x 1.63")

**EXTERNAL DIMS:**  
31.4 x 24.8 x 5.4 cm  
(12.38" x 9.75" x 2.13")

**LID/BOTTOM DEPTH:**  
2.1 cm (0.81")

**WEIGHT:**  
0.7 kg (1.54 lbs) WITH FOAM  
0.6 kg (1.41 lbs) NO FOAM



Adaptable for use with panel frame

\*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

### i1075 HARDBACK™ CASE

**INTERNAL DIMS:**  
28.2 x 20.1 x 4.1 cm  
(11.11" x 7.92" x 1.63")

**EXTERNAL DIMS:**  
31.4 x 24.8 x 5.4 cm  
(12.38" x 9.75" x 2.13")

**LID/BOTTOM DEPTH:**  
2.1 cm (0.81")

**WEIGHT:**  
1.2 kg (2.54 lbs) WITH FOAM  
0.6 kg (1.41 lbs) NO FOAM



### 1085 HARDBACK™ CASE

**INTERNAL DIMS:**  
36.3 x 26.3 x 5 cm  
(14.29" x 10.37" x 1.97")

**EXTERNAL DIMS:**  
39.7 x 31.5 x 6.3 cm  
(15.64" x 12.41" x 2.50")

**LID/BOTTOM DEPTH:**  
2.5 cm (0.99")

**WEIGHT:**  
1.4 kg (3.10 lbs) WITH FOAM  
1.2 kg (2.65 lbs) NO FOAM



### 1490CC2 CASE

**INTERNAL DIMS:**  
45.1 x 28.9 x 10.5 cm  
(17.75" x 11.37" x 4.12")

**EXTERNAL DIMS:**  
50.5 x 35.4 x 11.9 cm  
(19.87" x 13.93" x 4.68")

**LID/BOTTOM DEPTH:**  
3.8 cm / 6.7 cm (1.50" / 2.62")

**WEIGHT:**  
2.95 kg (6.5 lbs.) WITH FOAM  
2.48 kg (5.47 lbs.) NO FOAM



### 1495 CASE

**INTERNAL DIMS:**  
47.9 x 33.3 x 9.7 cm  
(18.87" x 13.12" x 3.81")

**EXTERNAL DIMS:**  
54.9 x 43.8 x 12.4 cm  
(21.62" x 17.25" x 4.87")

**LID/BOTTOM DEPTH:**  
2.8 cm / 6.8 cm (1.12" / 2.68")

**WEIGHT:**  
3.8 kg (8.37 lbs.) WITH FOAM  
3.28 kg (7.23 lbs.) NO FOAM



### 1085CC HARDBACK™ CASE

**INTERNAL DIMS:**  
36.3 x 26.3 x 5 cm  
(14.29" x 10.37" x 1.97")

**EXTERNAL DIMS:**  
39.7 x 31.5 x 6.4 cm  
(15.64" x 12.41" x 2.50")

**LID/BOTTOM DEPTH:**  
2.5 cm (0.99")

**WEIGHT:**  
1.3 kg (2.89 lbs) WITH FOAM



### 1095 HARDBACK™ CASE

**INTERNAL DIMS:**  
40.1 x 28.3 x 5.2 cm  
(15.78" x 11.16" x 2.06")

**EXTERNAL DIMS:**  
42.9 x 33.6 x 11.4 cm  
(16.88" x 13.23" x 4.47")

**LID/BOTTOM DEPTH:**  
2.6 cm (1.03")

**WEIGHT:**  
1.6 kg (3.49 lbs) WITH FOAM  
1.4 kg (3.05 lbs) NO FOAM



### 1495CC1 CASE

**INTERNAL DIMS:**  
47.9 x 33.3 x 9.7 cm  
(18.87" x 13.12" x 3.81")

**EXTERNAL DIMS:**  
54.9 x 43.8 x 12.4 cm  
(21.62" x 17.25" x 4.87")

**LID/BOTTOM DEPTH:**  
2.8 cm / 6.8 cm (1.12" / 2.68")

**WEIGHT:**  
5.03 kg (11.1 lbs.)



### 1495CC2 CASE

**INTERNAL DIMS:**  
47.9 x 33.3 x 9.7 cm  
(18.87" x 13.12" x 3.81")

**EXTERNAL DIMS:**  
54.9 x 43.8 x 12.4 cm  
(21.62" x 17.25" x 4.87")

**LID/BOTTOM DEPTH:**  
2.8 cm / 6.8 cm (1.12" / 2.68")

**WEIGHT:**  
4.08 kg (8.99 lbs.)



### 1095CC HARDBACK™ CASE

**INTERNAL DIMS:**  
40.1 x 28.3 x 5.2 cm  
(15.78" x 11.16" x 2.06")

**EXTERNAL DIMS:**  
50.5 x 35.4 x 11.9 cm  
(19.87" x 13.93" x 4.68")

**LID/BOTTOM DEPTH:**  
2.6 cm (1.03")

**WEIGHT:**  
1.5 kg (3.29 lbs) WITH FOAM



### 1470 CASE

**INTERNAL DIMS:**  
39.9 x 27.2 x 9.8 cm  
(15.70" x 10.70" x 3.87")

**EXTERNAL DIMS:**  
42.9 x 33.6 x 11.3 cm  
(16.88" x 13.23" x 4.47")

**LID/BOTTOM DEPTH:**  
3.5 cm / 6 cm (1.37" / 2.37")

**WEIGHT:**  
2.5 kg (5.51 lbs.) WITH FOAM  
1.94 kg (4.28 lbs.) NO FOAM



### 1430 TOP LOADER CASE

**INTERNAL DIMS:**  
34.4 x 14.6 x 29.7 cm  
(13.56" x 5.76" x 11.70")

**EXTERNAL DIMS:**  
41.7 x 22.1 x 33.4 cm  
(16.40" x 8.71" x 13.15")

**LID/BOTTOM DEPTH:**  
5.1 cm / 24.6 cm (2.00" / 9.70")

**WEIGHT:**  
2.95 kg (6.5 lbs.) WITH FOAM  
2.54 kg (5.6 lbs.) NO FOAM



### 1440 TOP LOADER CASE

**INTERNAL DIMS:**  
43.4 x 19.1 x 40.6 cm  
(17.10" x 7.50" x 16.00")

**EXTERNAL DIMS:**  
50 x 30.5 x 45.7 cm  
(19.70" x 12.00" x 18.00")

**LID/BOTTOM DEPTH:**  
5.1 cm / 35.5 cm (2.00" / 14.00")

**WEIGHT:**  
7.48 kg (16.5 lbs.) WITH FOAM  
6.58 kg (14.5 lbs.) NO FOAM



### 1490 CASE

**INTERNAL DIMS:**  
45.1 x 28.9 x 10.5 cm  
(17.75" x 11.37" x 4.12")

**EXTERNAL DIMS:**  
50.4 x 35.4 x 11.9 cm  
(19.87" x 13.93" x 4.68")

**LID/BOTTOM DEPTH:**  
3.8 cm / 6.7 cm (1.50" / 2.62")

**WEIGHT:**  
2.95 kg (6.5 lbs.) WITH FOAM  
2.48 kg (5.47 lbs.) NO FOAM



### 1490CC1 CASE

**INTERNAL DIMS:**  
45.1 x 28.9 x 10.5 cm  
(17.75" x 11.37" x 4.12")

**EXTERNAL DIMS:**  
50.4 x 35.4 x 11.9 cm  
(19.87" x 13.93" x 4.68")

**LID/BOTTOM DEPTH:**  
3.8 cm / 6.7 cm (1.50" / 2.62")

**WEIGHT:**  
2.95 kg (6.5 lbs.) WITH FOAM  
2.48 kg (5.47 lbs.) NO FOAM



## CRUSHED ICE OPTIONAL


## SURVIVAL + STORIES

We chose the best gear that we could get our hands on, including Pelican™ boxes to safeguard our camera gear, radios and satellite telephone. At 81° North latitude, one of our plastic kayaks, with a Pelican™ box mounted on deck, became caught in the current-driven ice pack and was thoroughly steamrolled. Many items loaded inside the kayak were crushed, but the Pelican™ deck box emerged through it all unscathed.

Steve Smith, Arctic explorer

# MEDIUM CASES

Mobility with room for protecting larger gear or multiple instruments and accessories. Interior options are available for extra protection. Selected models meet carry-on luggage specifications.\* Most cases are available empty, with foam or padded dividers. See chart on page 20.



\*Check with your airline for exact measurement requirements

PELI MEDIUM CASES

PELI MEDIUM CASES

## 1450 CASE

**INTERNAL DIMS:**  
37.4 x 26 x 15.4 cm  
(14.72" x 10.22" x 6.08")

**EXTERNAL DIMS:**  
40.9 x 33.1 x 17.5 cm  
(16.10" x 13.03" x 6.88")

**LID/BOTTOM DEPTH:**  
4.4 cm / 10.8 cm (1.75" / 4.25")

**WEIGHT:**  
2.9 kg (6.39 lbs.) WITH FOAM  
2.5 kg (5.51 lbs.) NO FOAM



## 1460 CASE

**INTERNAL DIMS:**  
47.1 x 25.2 x 27.7 cm  
(18.54" x 9.92" x 10.92")

**EXTERNAL DIMS:**  
53 x 32.3 x 32.4 cm  
(20.85" x 12.73" x 12.75")

**LID/BOTTOM DEPTH:**  
12.5 cm / 15.3 cm (4.91" / 6.01")

**WEIGHT:**  
5.66 kg (12.48 lbs.) WITH FOAM  
3.97 kg (8.75 lbs.) NO FOAM



## 1460 TOOL CASE

**INTERNAL DIMS:**  
47.1 x 25.2 x 27.7 cm  
(18.54" x 9.92" x 10.92")

**EXTERNAL DIMS:**  
53 x 32.3 x 32.4 cm  
(20.85" x 12.73" x 12.75")

**LID/BOTTOM DEPTH:**  
12.5 cm / 15.3 cm  
(4.91" / 6.01")

**WEIGHT:**  
5.9 kg (13 lbs.) WITH TRAY ASSEMBLY



## 1460 EMS CASE

**INTERNAL DIMS:**  
47.1 x 25.2 x 27.7 cm  
(18.54" x 9.92" x 10.92")

**EXTERNAL DIMS:**  
52.9 x 32.3 x 32.4 cm  
(20.85" x 12.73" x 12.75")

**LID/BOTTOM DEPTH:**  
12.5 cm / 15.3 cm (4.91" / 6.01")

**WEIGHT:**  
8.26 kg (18.2 lbs.) WITH TRAY ASSEMBLY



## 1520 CASE

**INTERNAL DIMS:**  
44.9 x 31.8 x 17.1 cm  
(17.68" x 12.53" x 6.73")

**EXTERNAL DIMS:**  
49.9 x 39.3 x 19.1 cm  
(19.65" x 15.49" x 7.53")

**LID/BOTTOM DEPTH:**  
4.6 cm / 12.5 cm (1.81" / 4.93")

**WEIGHT:**  
4.24 kg (9.35 lbs.) WITH FOAM  
3.76 kg (8.29 lbs.) NO FOAM



## 1550 CASE

**INTERNAL DIMS:**  
47.3 x 36 x 19.6 cm  
(18.63" x 14.18" x 7.71")

**EXTERNAL DIMS:**  
52.5 x 43.5 x 21.6 cm  
(20.66" x 17.12" x 8.51")

**LID/BOTTOM DEPTH:**  
4.4 cm / 14.9 cm (1.75" / 5.87")

**WEIGHT:**  
5.4 kg (11.9 lbs.) WITH FOAM  
4.8 kg (10.58 lbs.) NO FOAM



## 1510 SC CASE

**INTERNAL DIMS:**  
50.2 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**EXTERNAL DIMS:**  
55.9 x 35.1 x 22.9 cm  
(22.00" x 13.81" x 9.00")

**LID/BOTTOM DEPTH:**  
4.5 cm / 14.7 cm (1.79" / 5.79")

**WEIGHT:**  
6.17 kg (13.6 lbs.)



## 1510 LFC CASE

**INTERNAL DIMS:**  
50.1 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**EXTERNAL DIMS:**  
55.9 x 35.1 x 22.9 cm  
(22.00" x 13.81" x 9.00")

**LID/BOTTOM DEPTH:**  
4.5 cm / 14.7 cm  
(1.79" / 5.79")

**WEIGHT:**  
6.17 kg (13.6 lbs.)



## 1510M CASE

**INTERNAL DIMS:**  
50.2 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**EXTERNAL DIMS:**  
59.8 x 36.5 x 27 cm  
(23.55" x 14.36" x 10.62")

**LID/BOTTOM DEPTH:**  
4.5 cm / 14.7 cm (1.79" / 5.79")

**WEIGHT:**  
7.39 kg (16.3 lbs.) NO FOAM



## 1510 LOC CASE

**INTERNAL DIMS:**  
50.1 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**EXTERNAL DIMS:**  
50.2 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**LID/BOTTOM DEPTH:**  
4.5 cm / 14.7 cm (1.79" / 5.79")

**WEIGHT:**  
6.17 kg (13.6 lbs.)



## 1500 CASE

**INTERNAL DIMS:**  
42.8 x 28.6 x 15.5 cm  
(16.84" x 11.27" x 6.09")

**EXTERNAL DIMS:**  
47.1 x 35.7 x 17.5 cm  
(18.54" x 14.05" x 6.89")

**LID/BOTTOM DEPTH:**  
4.6 cm / 10.9 cm (1.81" / 4.31")

**WEIGHT:**  
3.2 kg (7.05 lbs.) WITH FOAM  
2.9 kg (6.39 lbs.) NO FOAM



## 1510 CASE

**INTERNAL DIMS:**  
50.1 x 27.9 x 19.3 cm  
(19.75" x 11.00" x 7.60")

**EXTERNAL DIMS:**  
55.9 x 35.1 x 22.9 cm  
(22.00" x 13.81" x 9.00")

**LID/BOTTOM DEPTH:**  
4.5 cm / 14.7 cm (1.79" / 5.79")

**WEIGHT:**  
6.17 kg (13.6 lbs.) WITH FOAM  
5.44 kg (11.99 lbs.) NO FOAM



Adaptable for use with panel frame

\*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

Adaptable for use with panel frame

CASE CONTENTS NOT INCLUDED

\*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

# LARGE CASES

Designed for extreme protection during transport and storage. Customisable interiors allow for extra protection and inventory control. Selected models feature retractable handles, extra wide grips and sturdy casters for efficient mobility.



PELI LARGE CASES

PELI LARGE CASES

## 1560 CASE

**INTERNAL DIMS:**  
50.6 x 38 x 22.9 cm  
(19.92" x 14.98" x 9.00")

**EXTERNAL DIMS:**  
56 x 45.5 x 26.5 cm  
(22.07" x 17.92" x 10.42")

**LID/BOTTOM DEPTH:**  
5.1 cm / 17.8 cm (2.00" / 7.00")

**WEIGHT:**  
9.07 kg (20 lbs.) WITH FOAM  
7.71 kg (17 lbs.) NO FOAM



## 1560LOC CASE

**INTERNAL DIMS:**  
50.6 x 38 x 22.9 cm  
(19.92" x 14.98" x 9.00")

**EXTERNAL DIMS:**  
56 x 45.5 x 26.5 cm  
(22.07" x 17.92" x 10.42")

**LID/BOTTOM DEPTH:**  
5.1 cm / 17.8 cm (2.00" / 7.00")

**WEIGHT:**  
9.07 kg (20 lbs.) WITH FOAM  
7.71 kg (17 lbs.) NO FOAM



## 1560M CASE

**INTERNAL DIMS:**  
50.6 x 38 x 22.9 cm  
(19.92" x 14.98" x 9.00")

**EXTERNAL DIMS:**  
60.4 x 46.5 x 30.7 cm  
(23.78" x 18.33" x 12.08")

**LID/BOTTOM DEPTH:**  
5.1 cm / 17.8 cm (2.00" / 7.00")

**WEIGHT:**  
9.66 kg (21.3 lbs) NO FOAM



## 1560SC CASE

**INTERNAL DIMS:**  
50.6 x 38 x 22.9 cm  
(19.92" x 14.98" x 9.00")

**EXTERNAL DIMS:**  
56 x 45.5 x 26.5 cm  
(22.07" x 17.92" x 10.42")

**LID/BOTTOM DEPTH:**  
5.1 cm / 17.8 cm (2.00" / 7.00")

**WEIGHT:**  
9.07 kg (20 lbs.) WITH FOAM  
7.71 kg (17 lbs.) NO FOAM



## 1560LFC CASE

**INTERNAL DIMS:**  
50.6 x 38 x 22.9 cm  
(19.92" x 14.98" x 9.00")

**EXTERNAL DIMS:**  
56 x 45.5 x 26.5 cm  
(22.07" x 17.92" x 10.42")

**LID/BOTTOM DEPTH:**  
5.1 cm / 17.8 cm (2.00" / 7.00")

**WEIGHT:**  
9.07 kg (20 lbs.) WITH FOAM  
7.71 kg (17 lbs.) NO FOAM



## 1610 CASE

**INTERNAL DIMS:**  
55.1 x 42.2 x 26.8 cm  
(21.68" x 16.62" x 10.56")

**EXTERNAL DIMS:**  
62.8 x 49.7 x 30.3 cm  
(24.71" x 19.58" x 11.93")

**LID/BOTTOM DEPTH:**  
5.2 cm / 21.6 cm (2.06" / 8.50")

**WEIGHT:**  
10.2 kg (22.49 lbs.) WITH FOAM  
9.1 kg (20 lbs) NO FOAM



## 1600 CASE

**INTERNAL DIMS:**  
54.6 x 42 x 20.2 cm  
(21.51" x 16.54" x 7.95")

**EXTERNAL DIMS:**  
61.8 x 49.4 x 22.2 cm  
(24.35" x 19.46" x 8.75")

**LID/BOTTOM DEPTH:**  
4.4 cm / 15.5 cm  
(1.75" / 6.12")

**WEIGHT:**  
6.4 kg (14.11 lbs.) WITH FOAM  
5.9 kg (13 lbs.) NO FOAM



## 1610M CASE

**INTERNAL DIMS:**  
55.3 x 42.4 x 27 cm  
(21.78" x 16.69" x 10.62")

**EXTERNAL DIMS:**  
66.5 x 58.4 x 34.7 cm  
(26.20" x 23.00" x 13.68")

**LID/BOTTOM DEPTH:**  
5.2 cm / 21.8 cm (2.05" / 8.57")

**WEIGHT:**  
11.93 kg (26.3 lbs) NO FOAM



## 1620 CASE

**INTERNAL DIMS:**  
54.3 x 41.4 x 31.9 cm  
(21.37" x 16.31" x 12.56")

**EXTERNAL DIMS:**  
63 x 49.2 x 35.2 cm  
(24.81" x 19.37" x 13.87")

**LID/BOTTOM DEPTH:**  
5.2 cm / 26.7 cm (2.06" / 10.50")

**WEIGHT:**  
11.8 kg (26.01 lbs.) WITH FOAM  
11.1 kg (24.47 lbs.) NO FOAM



## 1620M CASE

**INTERNAL DIMS:**  
54.5 x 41.7 x 31.8 cm  
(21.48" x 16.42" x 12.54")

**EXTERNAL DIMS:**  
66.5 x 58.4 x 39.6 cm  
(26.20" x 23.00" x 15.61")

**LID/BOTTOM DEPTH:**  
5.1 cm / 26.7 cm  
(2.01" / 10.53")

**WEIGHT:**  
12.7 kg (28 lbs) NO FOAM



## SURVIVAL + STORIES

### INTACT AFTER MASSIVE EXPLOSION

My team and I were first responders to a terrorist attack on a hotel in Islamabad, Pakistan. As part of our recovery effort at the blast site, we 'repatriated' one of our armored vehicles. Inside the vehicle, which was in the immediate impact zone of the SVBIED, we discovered an unscathed 'Model 1640 Pelican Transport Case™.' The case stood up against a massive explosion and flying shrapnel. Seeing how well this product withstood this type of abuse, I can say that you have found yourself several new lifetime customers!

US Federal Agent





## SUPERSTORM PROOF

The plane hit with such force that it sheared the left wing and float right off and, as the plane rapidly sunk, everyone was able to escape out the exits. For over nine hours, the plane was submerged some 6-8 feet under water, loosely held to the right pontoon! When we were finally allowed to recover our gear, I was planning for the worst, because the water damage on impact had destroyed just about everyone's gear. But when I opened the lid on my Peli™ 1650 case, I was astonished to find that there was very little water inside and everything was intact!

Tim Cothren, wildlife photographer



### 1650 CASE Similarly sized Peli Storm Case: iM2950

**INTERNAL DIMS:**  
72.2 x 44.2 x 27 cm  
(28.41" x 17.40" x 10.64")

**EXTERNAL DIMS:**  
80.1 x 52.1 x 31.7 cm  
(31.55" x 20.51" x 12.47")

**LID/BOTTOM DEPTH:**  
4.6 cm / 22.4 cm  
(1.81" / 8.84")

**WEIGHT:**  
12.73 kg (28.06 lbs.) WITH FOAM  
10.9 kg (24.03 lbs.) NO FOAM



### 1670 CASE

**INTERNAL DIMS:**  
71.3 x 41.9 x 23.3 cm  
(28.10" x 16.49" x 9.19")

**EXTERNAL DIMS:**  
78.8 x 49.2 x 28.4 cm  
(31.04" x 19.39" x 11.17")

**LID/BOTTOM DEPTH:**  
4.6 cm / 18.8 cm (1.80" / 7.39")

**WEIGHT:**  
11.8 kg (26 lbs) WITH FOAM  
10.4 kg (23 lbs) NO FOAM



### 1630 CASE

**INTERNAL DIMS:**  
70.4 x 53.3 x 39.4 cm  
(27.70" x 20.98" x 15.50")

**EXTERNAL DIMS:**  
79.5 x 61.5 x 44.4 cm  
(31.28" x 24.21" x 17.48")

**LID/BOTTOM DEPTH:**  
8.3 cm / 30.8 cm (3.25" / 12.14")

**WEIGHT:**  
16.33 kg (36 lbs.) WITH FOAM  
14.06 kg (31 lbs.) NO FOAM



### 1640 CASE

**INTERNAL DIMS:**  
60.2 x 60.9 x 35.3 cm  
(23.70" x 24.00" x 13.90")

**EXTERNAL DIMS:**  
69.1 x 69.8 x 41.4 cm  
(27.20" x 27.50" x 16.30")

**LID/BOTTOM DEPTH:**  
5.1 cm / 30.2 cm (2.00" / 11.90")

**WEIGHT:**  
17.24 kg (38 lbs.) WITH FOAM  
15.42 kg (34 lbs.) NO FOAM



### 1660 CASE

**INTERNAL DIMS:**  
71.6 x 50.2 x 44.8 cm  
(28.18" x 19.75" x 17.62")

**EXTERNAL DIMS:**  
80 x 58.1 x 48.3 cm  
(31.50" x 22.87" x 19.00")

**LID/BOTTOM DEPTH:**  
8.9 cm / 35.9 cm  
(3.50" / 14.12")

**WEIGHT:**  
19.1 kg (42.11 lbs.) WITH FOAM  
15.5 kg (34.17 lbs.) NO FOAM



### 1690 CASE

**INTERNAL DIMS:**  
76.5 x 63.8 x 39 cm  
(30.13" x 25.13" x 15.36")

**EXTERNAL DIMS:**  
84.9 x 72.1 x 44.8 cm  
(33.43" x 28.40" x 17.65")

**LID/BOTTOM DEPTH:**  
7.3 cm / 30.8 cm (2.86" / 12.14")

**WEIGHT:**  
19.5 kg (43 lbs.) WITH FOAM  
15.42 kg (34 lbs.) NO FOAM



### 1730 CASE

**INTERNAL DIMS:**  
86.3 x 60.9 x 31.7 cm  
(34.00" x 24.00" x 12.50")

**EXTERNAL DIMS:**  
94.1 x 69.1 x 36.5 cm  
(37.05" x 27.20" x 14.37")

**LID/BOTTOM DEPTH:**  
6.3 cm / 25.4 cm (2.50" / 10.00")

**WEIGHT:**  
17.24 kg (38 lbs.) WITH FOAM  
13.61 kg (30 lbs.) NO FOAM



### 0340 CASE

**INTERNAL DIMS:**  
45.7 x 45.7 x 45.7 cm  
(18.00" x 18.00" x 18.00")

**EXTERNAL DIMS:**  
52 x 52 x 48.9 cm  
(20.50" x 20.50" x 19.25")

**LID/BOTTOM DEPTH:**  
11.4 cm / 34.3 cm (4.50" / 13.50")

**WEIGHT:**  
13.5 kg (29.76 lbs.) WITH FOAM  
10.89 kg (24 lbs.) NO FOAM



### 0370 CASE

**INTERNAL DIMS:**  
60.9 x 60.9 x 60.9 cm  
(24.00" x 24.00" x 24.00")

**EXTERNAL DIMS:**  
67.3 x 67.3 x 64.1 cm  
(26.50" x 26.50" x 25.25")

**LID/BOTTOM DEPTH:**  
12.7 cm / 48.2 cm  
(5.00" / 19.00")

**WEIGHT:**  
18.6 kg (41 lbs.) WITH FOAM  
14.5 kg (31.97 lbs.) NO FOAM



### 0500 CASE

**INTERNAL DIMS:**  
88.8 x 46.9 x 64.1 cm  
(34.95" x 18.45" x 25.25")

**EXTERNAL DIMS:**  
101.5 x 59.6 x 72.8 cm  
(39.95" x 23.45" x 28.65")

**LID/BOTTOM DEPTH:**  
5.7 cm / 58.4 cm  
(2.25" / 23.00")

**WEIGHT:**  
26.58 kg (58.6 lbs.) WITH FOAM  
22.68 kg (50 lbs.) NO FOAM



### 1780 CASE

**INTERNAL DIMS:**  
104.4 x 54.7 x 37.8 cm  
(41.12" x 21.54" x 14.88")

**EXTERNAL DIMS:**  
114 x 64.3 x 41.9 cm  
(44.90" x 25.32" x 16.50")

**LID/BOTTOM DEPTH:**  
19.2 cm / 18.5 cm (7.58" / 7.30")

**WEIGHT:**  
22.2 kg (49 lbs.) WITH FOAM  
17.4 kg (38.4 lbs.) NO FOAM



### 0350 CASE

**INTERNAL DIMS:**  
50.8 x 50.8 x 50.8 cm  
(20.00" x 20.00" x 20.00")

**EXTERNAL DIMS:**  
57.1 x 56.9 x 54 cm  
(22.50" x 22.43" x 21.25")

**LID/BOTTOM DEPTH:**  
12.7 cm / 38.1 cm (5.00" / 15.00")

**WEIGHT:**  
14.52 kg (32.01 lbs.) WITH FOAM  
11.79 kg (25.99 lbs.) NO FOAM



### 0450 CASE

**INTERNAL DIMS:**  
Varies by drawer configuration

**EXTERNAL DIMS:**  
60.8 x 37.5 x 45.6 cm  
(23.95" x 14.75" x 17.95")

**LID/BOTTOM DEPTH:**  
N/A

**WEIGHT:**  
14.97 kg (33 lbs.) NO DRAWERS  
18.82 kg (41.5 lbs.) WITH DRAWERS



### 0550 CASE

**INTERNAL DIMS:**  
120.8 x 61.1 x 44.9 cm  
(47.57" x 24.07" x 17.68")

**EXTERNAL DIMS:**  
129.6 x 69.9 x 57.9 cm  
(51.05" x 27.54" x 22.79")

**LID/BOTTOM DEPTH:**  
8.1 cm / 36.8 cm  
(3.19" / 14.49")

**WEIGHT:**  
43.09 kg (95 lbs.) WITH FOAM  
35.92 kg (79.2 lbs.) NO FOAM



shown with optional  
caster wheels

# LONG CASES

Ideal for weapons, but are also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport. See chart on page 22.

PELI LONG CASES



All Long Cases are equipped with wheels

## 1700 CASE Similarly sized Pelic Storm Case: iM3100

**INTERNAL DIMS:**  
90.8 x 34.3 x 13.3 cm  
(35.75" x 13.50" x 5.25")

**EXTERNAL DIMS:**  
96.8 x 40.6 x 15.5 cm  
(38.12" x 16.00" x 6.12")

**LID/BOTTOM DEPTH:**  
4.4 cm / 8.9 cm (1.75" / 3.50")

**WEIGHT:**  
7.7 kg (16.98 lbs.) WITH FOAM  
7.3 kg (16.09 lbs.) NO FOAM



## 1720 CASE Similarly sized Pelic Storm Case: iM3200

**INTERNAL DIMS:**  
106.7 x 34.3 x 13.3 cm  
(42.00" x 13.50" x 5.25")

**EXTERNAL DIMS:**  
112.7 x 40.6 x 15.5 cm  
(44.37" x 16.00" x 6.12")

**LID/BOTTOM DEPTH:**  
4.4 cm / 8.9 cm (1.75" / 3.50")

**WEIGHT:**  
8.6 kg (18.96 lbs.) WITH FOAM  
7.6 kg (16.76 lbs.) NO FOAM



## 1740 CASE

**INTERNAL DIMS:**  
104.1 x 32.8 x 30.8 cm  
(40.98" x 12.92" x 12.13")

**EXTERNAL DIMS:**  
112.2 x 40.9 x 35.6 cm  
(44.16" x 16.09" x 14.00")

**LID/BOTTOM DEPTH:**  
6.5 cm / 24.3 cm (2.56" / 9.57")

**WEIGHT:**  
12.25 kg (27 lbs.) WITH FOAM  
9.98 kg (22 lbs.) NO FOAM



## 1750 CASE Similarly sized Pelic Storm Case: iM3300

**INTERNAL DIMS:**  
128.3 x 34.3 x 13.3 cm  
(50.50" x 13.50" x 5.25")

**EXTERNAL DIMS:**  
134.6 x 40.6 x 15.5 cm  
(53.00" x 16.00" x 6.12")

**LID/BOTTOM DEPTH:**  
4.4 cm / 8.9 cm  
(1.75" / 3.50")

**WEIGHT:**  
11.6 kg (25.57 lbs.) WITH FOAM  
10.7 kg (23.59 LBS.) NO FOAM



## 1770 CASE

**INTERNAL DIMS:**  
138.6 x 39.6 x 21.9 cm  
(54.58" x 15.58" x 8.63")

**EXTERNAL DIMS:**  
145.8 x 46.9 x 28.5 cm  
(57.42" x 18.48" x 11.23")

**LID/BOTTOM DEPTH:**  
4.8 cm / 17.1 cm  
(1.88" / 6.75")

**WEIGHT:**  
16.33 kg (36 lbs.) WITH FOAM  
13.15 kg (29 lbs.) NO FOAM



## 1780 CASE

**INTERNAL DIMS:**  
104.4 x 54.7 x 37.8 cm  
(41.12" x 21.54" x 14.88")

**EXTERNAL DIMS:**  
114 x 64.3 x 41.9 cm  
(44.90" x 25.32" x 16.50")

**LID/BOTTOM DEPTH:**  
19.2 cm / 18.5 cm  
(7.58" / 7.30")

**WEIGHT:**  
22.2 kg (49 lbs.) WITH FOAM  
17.4 kg (38.4 lbs.) NO FOAM



PELI LONG CASES



## THE YAK HAS A LOT TO SAY...

### SURVIVAL STORIES

During a long trekking expedition in Zaskar and Ladakh (in Northern India) we had all our stuff on the back of a yak. About half way through the trip one of the yaks overbalanced and fell from the track into the water. The yak was unhurt beyond a couple of scratches, but the case had been dragged underwater, banged on rocks for a good while and dragged out again. I opened the case and discovered that my Hasselblad®, my spare Nikon® body, several lenses, dozens of films and a DAT recorder and tapes for my audio work were all completely unharmed and dry!

Mike Harding, BBC presenter, travel, writer, poet, playwright. [www.mikeharding.co.uk](http://www.mikeharding.co.uk)


CASE CONTENTS NOT INCLUDED

\*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.



# PELI CASE SPECIFICATIONS AND FEATURES

CAT. NO.	INTERIOR DIMENSIONS (cm)	EXTERIOR DIMENSIONS (cm)	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE RANGE (Min/Max)	CERTIFICATES	FEATURES							COLOURS	CAT. NO.
										TREKPAK™	PADDLED DIVIDERS	RUBBERISED HANDLES	PANEL FRAMES	PERSONALISED NAMEPLATE	LID ORGANISER	WHEELS		
1560	50.6 x 38 x 22.9	56 x 45.5 x 26.5	5.1 cm	17.8 cm	7.71 kg	9.07 kg	52.16 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	0	0	S		0	0	S	■ ■ ■ ■ ■	1560
1560M	50.6 x 38 x 22.9	60.4 x 46.5 x 30.7	5.1 cm	17.8 cm	N/A	9.66 kg	N/A	-40 / 99° C	IP57		0	S		0	0	S	■	1560M
1600	54.6 x 42 x 20.3	61.9 x 49.2 x 22.3	4.4 cm	15.5 cm	6.4 kg	5.9 kg	53.07 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	0	0	S		0	0		■ ■ ■ ■ ■	1600
1610	54.6 x 42 x 20.2	61.8 x 49.4 x 22.2	5.2 cm	21.6 cm	10.2 kg	9.07 kg	54.4 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	0	0	S		0	0	S	■	1610
1610M	55.3 x 42.4 x 27	66.5 x 58.4 x 34.7	5.2 cm	21.8 cm	N/A	11.93 kg	N/A	-40 / 99° C	IP57		0	S		0	0	S	■	1610M
1620	54.3 x 41.4 x 31.9	63 x 49.2 x 35.2	5.2 cm	26.7 cm	11.8 kg	11.1 kg	68 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280		0	S		0	0	S	■	1620
1620M	54.5 x 41.7 x 31.8	66.5 x 58.4 x 39.6	5.1 cm	26.7 cm	N/A	12.7 kg	N/A	-40 / 99° C	IP57		0	S		0	0	S	■	1620M
1630	70.4 x 53.3 x 39.4	79.5 x 61.5 x 44.4	8.3 cm	30.8 cm	16.33 kg	14.06 kg	159 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280 • ATA 300 • MIL C-4150J		0			0	0	S	■ *	1630
1640	60.2 x 61 x 35.3	69.1 x 69.8 x 41.4	5.1 cm	30.2 cm	17.24 kg	15.42 kg	166 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280		0			0	0	S	■ *	1640
1650	72.2 x 44.2 x 27	80.1 x 52.1 x 31.7	4.6 cm	22.4 cm	12.73 kg	10.9 kg	82.1 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	0	0	S		0	0	S	■ *	1650
1660	71.6 x 50.2 x 44.8	80 x 58.1 x 48.3	8.9 cm	35.9 cm	19.1 kg	15.5 kg	159 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280		0			0	0	S	■ *	1660
1670	71.3 x 41.9 x 23.3	78.8 x 49.2 x 28.4	4.6 cm	18.8 cm	11.8 kg	10.4 kg	82.6 kg	-40 / 99° C	-							S	■	1670
1690	76.5 x 63.8 x 39	84.9 x 72.1 x 44.8	7.3 cm	30.8 cm	19.5 kg	15.42 kg	186 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280		0			0	0	S	■ *	1690
1730	86.3 x 60.9 x 31.7	95.2 x 68.9 x 36.5	6.3 cm	25.4 cm	17.24 kg	13.61 kg	189 kg	-40 / 99° C	IP67					0		S	■ *	1730
1780	104.4 x 54.7 x 37.8	114 x 64.3 x 41.9	19.2 cm	18.5 cm	22.20 kg	17.42 kg	226.8 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280					0		S	■ *	1780
0340	45.7 x 45.7 x 45.7	52 x 52 x 48.9	11.4 cm	34.3 cm	13.5 kg	10.89 kg	100 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280		0			0	0		■ *	0340
0350	50.8 x 50.8 x 50.8	57.1 x 56.9 x 54	12.7 cm	38.1 cm	14.52 kg	11.79 kg	122 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280		0			0	0	0	■ *	0350
0370	60.9 x 60.9 x 60.9	67.3 x 67.3 x 64.1	12.7 cm	48.2 cm	18.6 kg	14.5 kg	211 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280		0			0	0	0	■ *	0370
0450	Varies by drawer configuration	60.8 x 37.5 x 45.6	N/A	N/A	18.82 kg	14.97 kg	N/A	N/A	MIL-STD-810F							S	■	0450
0500	88.8 x 46.9 x 64.1	101.5 x 59.6 x 72.8	5.7 cm	58.4 cm	26.58 kg	22.68 kg	354 kg	-40 / 99° C	-					0	0		■	0500
0550	120.8 x 61.1 x 44.9	129.6 x 69.9 x 57.9	8.1 cm	36.8 cm	43.09 kg	35.92 kg	371.95 kg	-40 / 99° C	IP57					0	0		■	0550
1700	90.8 x 34.3 x 13.3	96.8 x 40.6 x 15.5	4.4 cm	8.9 cm	7.7 kg	7.3 kg	62.1 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280							S	■ *	1700
1720	106.7 x 34.3 x 13.3	112.7 x 40.6 x 15.5	4.4 cm	8.9 cm	8.6 kg	7.6 kg	73 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280					0		S	■ *	1720
1740	104.1 x 32.8 x 30.8	112.2 x 40.9 x 35.6	6.5 cm	24.3 cm	12.25 kg	9.98 kg	121.11 kg	-40 / 99° C	IP66					0		S	■ *	1740
1750	128.3 x 34.3 x 13.3	134.6 x 40.6 x 15.5	4.4 cm	8.9 cm	11.6 kg	10.7 kg	85 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280					0		S	■ *	1750
1770	138.6 x 39.6 x 21.9	145.8 x 46.9 x 28.5	4.8 cm	17.1 cm	16.33 kg	13.15 kg	127.01 kg	N/A	-							S	■ *	1770
1780	104.4 x 54.7 x 37.8	114 x 64.3 x 41.9	19.2 cm	18.5 cm	22.20 kg	17.4 kg	226.8 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280					0		S	■ *	1780



S = Standard feature  
 O = Optional accessory  
 \*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

## CASE ACCESSORIES

From custom nameplates and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.

Refer to [www.peli.com](http://www.peli.com) for specific accessories available for each case model

